

# Certified Fiber Optics Designer (FOD) Competency Requirements



Fiber Optics Designers (FOD) are expected to obtain knowledge of basic concepts of fiber optics design and installation which are applicable to all the functions required to safely and competently plan and install fiber optics communications cabling in a LAN environment. Once an FOD has acquired these skills, abilities and knowledge, he or she should be able to enter employment in the telecommunications cabling field with minimal training in areas unique to the special requirements of individual products or systems designs. The Fiber Optics Designer should become a profitable and efficient part of the workforce.

Fiber Optics Designers must be knowledgeable and have abilities in the following technical areas:

## 1.0 THEORY AND PRINCIPLES OF FIBER OPTICS

- 1.1 Outline the basic structure of optical fiber
- 1.2 Describe the terms:
  - 1.2.1 Core
  - 1.2.2 Cladding
  - 1.2.3 Coating
- 1.3 Describe the principles of operation as the light travels down the fiber
- 1.4 Define the term index of refraction
- 1.5 Describe the angles of incidence and refraction
- 1.6 Describe the principle of total internal reflection
- 1.7 Describe numerical aperture
- 1.8 Describe the system parameters that affect the transmission system's operation
- 1.9 Discuss the properties of electromagnetic signals
- 1.10 Distinguish between the transmitter power and receiver sensitivity ranges
- 1.11 Examine the two key characteristics attenuation and dispersion
- 1.12 Define attenuation
- 1.13 Describe intrinsic attenuation factors controlled by manufacturer
- 1.14 Describe extrinsic factors controlled by fiber optics cable installer
- 1.15 Relate the term microbend loss to extrinsic attenuation
- 1.16 Relate the term macrobend loss to extrinsic attenuation
- 1.17 Discuss the term dispersion and the affect it has on the pulse as it travels down the fiber
- 1.18 Define and describe the three main types of dispersion to include:
  - 1.18.1 Modal dispersion
  - 1.18.2 Chromatic dispersion
    - 1.18.2.1 Material dispersion
    - 1.18.2.2 Waveguide dispersion
  - 1.18.3 Polarization mode dispersion
- 1.19 Define the term bandwidth

## 2.0 OPTICAL SOURCES

- 2.1 Recall the typical operational wavelengths for communication systems
- 2.2 Compare the output pattern (sometimes referred to as spot size) of the LED and laser light sources
- 2.3 Distinguish the main difference between an LED and a laser regarding emission
- 2.4 Describe the attributes of the laser and how they differ from the LED
- 2.5 Name and describe the different types of LED sources
- 2.6 Name and describe the different types of Laser sources
- 2.7 Define the term 'chirp' that occurs in directly-modulated lasers
- 2.8 Describe the different modulation techniques used with optical sources to include:
  - 2.8.1 Direct modulation
  - 2.8.2 Integrated modulation
  - 2.8.3 External modulation

### 3.0 FIBER TYPES

- 3.1 Outline the types and basic construction of optical fiber
- 3.2 Associate the differences between multimode and single-mode core and cladding diameters
- 3.3 List the common classifications for optical fibers
- 3.4 Describe the four different types of optical fiber material makeup to include:
  - 3.4.1 Multimode step index
  - 3.4.2 Multimode graded index
  - 3.4.3 Single-mode step index
  - 3.4.4 Single-mode segmented core
- 3.5 Describe the differences between over filled launch (OFL) and restricted mode launch (RML) bandwidth measurement specifications
- 3.6 Define differential mode delay effects on conventional 50 µm and 62.5 µm optical fibers
- 3.7 Associate the need for a mode conditioning patch cord on gigabit or higher equipment
- 3.8 Summarize the fiber types that correspond to the referenced fiber designations OM1, OM2, OM3, and OM4 in accordance with ISO/IEC (the International Organization for Standardization/International Electrotechnical Commission) requirements
- 3.9 Point out that the mode field diameter is a measure of the spot size or beam width of light propagation in a single-mode fiber
- 3.10 Summarize the fiber types that correspond to the referenced fiber designations OS1, and OS2 in accordance with ISO/IEC (the International Organization for Standardization/International Electrotechnical Commission) requirements

### 4.0 CABLE SELECTION IN NETWORK DESIGN

- 4.1 Discuss both Insulated Cable Engineers Association (ICEA) and ANSI/TIA-568-C specifications for the optical fiber cables recognized in premises cabling standards to include:
  - 4.1.1 Inside plant cable
  - 4.1.2 Indoor-outdoor cable
  - 4.1.3 Outside plant cable
  - 4.1.4 Drop cable
- 4.2 Describe the different types of buffers used in fiber optic cables
  - 4.2.1 Tight buffer
  - 4.2.2 Loose tube
  - 4.2.3 Single tube
- 4.3 Describe the temperature effects on loose tube fiber optic cables
- 4.4 Explain why ribbon cables are typically used in high-density, high fiber count applications
- 4.5 Describe the design benefits of single tube fiber optic cables
- 4.6 Recognize the recommended indoor, indoor/outdoor, and outdoor cable types for an application
- 4.7 Determine and select the proper optical fiber cable given an installation scenario

### 5.0 NATIONAL ELECTRICAL CODE®

- 5.1 Distinguish the various environments inside a building in which a fiber optic cable is installed
- 5.2 Infer that the National Electrical Code (NEC®) is purely advisory and is made available for a wide variety of both public and private uses in the interest of life and property protection
- 5.3 Identify the point of entrance, NEC® Article 800.2, as the point within the building at which the wire or cable emerges from an external wall
- 5.4 Explain that the intermediate metal conduit (IMC) must be connected by a bonding conductor or grounding electrode in accordance with NEC® Article 800.100(B)
- 5.5 List the NEC® optical fiber cable types including:
  - 5.5.1 Abandoned optical fiber cable
  - 5.5.2 Nonconductive optical fiber cable
  - 5.5.3 Composite optical fiber cable
  - 5.5.4 Conductive optical fiber cable
- 5.6 Describe the NEC® listing requirements for:
  - 5.6.1 Optical fiber cables
  - 5.6.2 Optical fiber raceways
- 5.7 Define the maximum distance that an unlisted outside plant communications cable shall be permitted to be installed in a building (NEC® Article 800.48)
- 5.8 Discuss the grounding considerations for fiber optic cable installation inside a building to include NEC® Article 770.100, NEC® Article 250, and ANSI/TIA-607 Commercial Building Grounding (Earthing) and Bonding Requirements for Telecommunications

- 5.9 Discuss the NEC® Article 645 requirements for cabling information technology equipment
- 5.10 Describe the possible cabling scenarios and considerations to take into account when developing a cost comparison model

## 6.0 FIBER OPTIC TERMINATION

- 6.1 Define fiber optic termination
- 6.2 Summarize the anatomy of a fiber optic connector
- 6.3 Compare advantages and disadvantages of termination versus splicing
- 6.4 Explain where connectors are used
- 6.5 Discuss the performance of a multimode fiber optic link using the following sections of the ANSI/TIA-568-C Optical Cabling Components Standard
  - 6.5.1 Section 4.2 cable transmission performance
  - 6.5.2 Section 5.3 optical fiber splice
  - 6.5.3 Annex A (Normative) optical fiber connector performance specifications
- 6.6 Discuss the performance of a single-mode fiber optic link using the following sections of the ANSI/TIA-568-C Optical Cabling Components Standard, ANSI/TIA-758 Customer–Owned Outside Plant Telecommunications Cabling Standard, and Telcordia GR-326 Core Generic Requirements for Single-mode Optical Connectors and Jumper Assemblies
  - 6.6.1 ANSI/TIA-568-C Section 4.2 cable transmission performance
  - 6.6.2 ANSI/TIA-758 Section 6.3.4.1.2 attenuation
  - 6.6.3 ANSI/TIA-568-C Annex A (Normative) optical fiber connector performance specifications
- 6.7 Define physical contact (PC) and angled physical contact (APC) finish
- 6.8 Explain how PC and APC finishes affect both insertion loss and back reflectance
- 6.9 Recall how to properly perform a connector endface cleaning and visual inspection in accordance with ANSI/TIA-455-57B Preparation and Examination of Optical Fiber Endface for Testing Purposes
- 6.10 Associate how physical contact depends on connector end-face geometry to include the Telcordia GR-326 three key parameters for optimal fiber contact:
  - 6.10.1 Radius of curvature
  - 6.10.2 Apex offset
  - 6.10.3 Fiber undercut and protrusion
- 6.11 Name and describe the different single fiber termination connector styles
- 6.12 Name and describe the different multi-fiber termination connector styles
- 6.13 Describe the field installable connector technologies
- 6.14 Describe the heat cured epoxy technology
- 6.15 Describe quick cure terminations
- 6.16 Describe no epoxy, no polish terminations
- 6.17 Define pigtail splicing
- 6.18 Describe preconnectorized assemblies and cables

## 7.0 FIBER OPTIC SPLICING

- 7.1 Define a fiber optic splice
- 7.2 Distinguish between a mechanical and fusion splice
- 7.3 Explain where splices are used
- 7.4 List ANSI/TIA-568-C inside plant splice performance requirements
- 7.5 Cite ANSI/TIA-758 outside plant splice performance requirements
- 7.6 Explain the intrinsic factors that affect splice performance
- 7.7 Relate the extrinsic factors that affect splice performance
- 7.8 Describe splicing types and methods
- 7.9 Outline mechanical splice technology
- 7.10 Discuss fusion splice technologies to include:
  - 7.10.1 Local injection and detection (LID)
  - 7.10.2 Lens profile alignment system (LPAS)
  - 7.10.3 Profile alignment system (PAS)
  - 7.10.4 Core detection system (CDS)
  - 7.10.5 Fixed V-Groove

- 7.11 Examine the critical steps involved in splicing
  - 7.11.1 Planning
  - 7.11.2 Work area
  - 7.11.3 Preparing the fiber
  - 7.11.4 Splicing
  - 7.11.5 Protection

## 8.0 HARDWARE

- 8.1 Discuss the reasons why and where hardware is used
- 8.2 Compare the differences of hardware designs without cable management and with cable management products
- 8.3 Define the typical usage areas of rack (frame) mounted patch panel hardware
- 8.4 Explain how to provide for and install horizontal cable management products
- 8.5 Explain how to provide for and install vertical cable management products
- 8.6 Discuss the different styles of hardware adapter (connector) panels
- 8.7 Define the different types and typical usage areas of wall mountable housing hardware
- 8.8 Describe work area outlet hardware types
- 8.8 Define distributed zone architecture
- 8.9 Describe a fiber zone box (FZB)
- 8.10 Define other hardware options such as splice closures and splice trays

## 9.0 CROSS-CONNECT

- 9.1 Explain that a cross connection is the termination point of a system
- 9.2 Describe the numerous factors, which will affect how to terminate a cross connection design including:
  - 9.2.1 Location
  - 9.2.2 Growth
  - 9.2.3 Capacity
  - 9.2.4 Cable type
  - 9.2.5 Fiber count
- 9.3 Identify the strategy or process used to determine a cross connect fiber termination capacity including:
  - 9.3.1 Type of optical connector
  - 9.3.2 Number of terminations per connector panel
  - 9.3.3 Number of connector panels
  - 9.3.4 Patch panel density and size
- 9.4 Identify the strategy or process used to determine a cross connect splice capacity including:
  - 9.4.1 Number of trays a housing can accommodate
  - 9.4.2 Number and types of splices a tray can accommodate
  - 9.4.3 Number and types of cable a tray may accommodate
- 9.5 Explain the strategy and factors involved in the process of determining space allocation including:
  - 9.5.1 Growth strategy
  - 9.5.2 Connectivity scheme (interconnect or cross-connect)
  - 9.5.3 Cable routing and jumper management capabilities
  - 9.5.4 Hardware dimensions
  - 9.5.5 Hardware access requirements
- 9.6 Explain the strategy and factors involved in the process of determining layout including:
  - 9.6.1 Network size
  - 9.6.2 Segregation requirements
- 9.7 Define the basic rules of fiber jumper management

**10.0 ANSI/TIA-568 BUILDING CODES**

- 10.1 Identify the major telecommunication standards and governing bodies
- 10.2 Interpret ANSI/TIA-568-C.0 Generic Telecommunications Cabling for Customer Premises to include:
  - 10.2.1 Telecommunications cabling system structure
  - 10.2.2 Cabling installation requirements
  - 10.2.3 Cabling transmission performance and test requirements
- 10.3 Understand ANSI/TIA-568-C.1 Commercial Building Telecommunications Cabling Standard to include:
  - 10.3.1 Entrance facilities
  - 10.3.2 Equipment rooms
  - 10.3.3 Telecommunications rooms and telecommunications enclosures
  - 10.3.4 Backbone cabling (cabling subsystem 2 and cabling subsystem 3)
  - 10.3.5 Horizontal cabling (cabling subsystem 1)
  - 10.3.6 Work area
  - 10.3.7 Cabling installation requirements
- 10.4 Interpret ANSI/TIA-568-C.3 Optical Fiber Cabling Components Standard including:
  - 10.4.1 Optical fiber cable transmission performance and physical requirements
  - 10.4.2 Connecting hardware
  - 10.4.3 Optical fiber patch cords and optical fiber transitions
- 10.5 Define structured optical fiber cabling distances
- 10.6 Describe structured cabling architecture
- 10.7 Define open office design practices using multi-user telecommunications outlet assemblies (MUTOAs)

**11.0 LOGICAL NETWORKS**

- 11.1 Define a logical topology
  - 11.1.1 Describe logical bus network topology
  - 11.1.2 Describe logical ring network topology
  - 11.1.3 Describe logical star network topology
  - 11.1.4 Describe logical mesh network topology

**12.0 INTERNETWORKING**

- 12.1 Compare and contrast characteristics of internetworking physical media to include:
  - 12.1.1 Physical media
  - 12.1.2 Logical architectures
  - 12.1.3 Communication technologies
- 12.2 In the network describe the role of a:
  - 12.2.1 Repeater
  - 12.2.2 Hub
  - 12.2.3 Bridge
  - 12.2.4 Switch
  - 12.2.5 Router
- 12.3 Identify differences between switched and routed network design considerations

**13.0 ETHERNET**

- 13.1 Describe the genesis of Ethernet (IEEE 802.3)
- 13.2 Explain Carrier Sense Multiple Access/Collision Detection (CSMA/CD) technology
- 13.3 Describe the various Physical Layer Medium Dependent (PMD) speeds at which a standards-based implementation of Ethernet operates
- 13.4 Describe the features, functions and components of the 1000 Mbps “Gigabit” Ethernet
- 13.5 Describe the features, functions and components of the 10 Gigabit Ethernet
- 13.6 Define “differential mode delay” and the purpose of a Mode Conditioning Patch Cord
- 13.7 Differentiate between the operating ranges for Ethernet IEEE 802.3 series to include:
  - 13.7.1 Physical Medium Dependent (PMD) options
  - 13.7.2 Nominal speed
  - 13.7.3 Light source and wavelength
  - 13.7.4 Overfilled Launch Bandwidth (OFL)
  - 13.7.5 Effective Modal Bandwidth (EMB)
  - 13.7.6 Maximum supportable distances

## 14.0 FIBRE CHANNEL

- 14.1 Explain Fibre Channel technology as a computer communications protocol in accordance with the ANSI/International Committee for Information Technology Standards (INCITS)
- 14.2 Define the different applications and technologies that Fibre Channel supports
- 14.3 Describe the different physical cabling topologies of a Fibre Channel network to include:
  - 14.3.1 Point-to-Point (FC-P2P)
  - 14.3.2 Arbitrated Loop (FC-AL)
  - 14.3.3 Switched Fabric (FC-SW)
- 14.4 Describe the various Physical Interfaces (PI) speeds at which a standards-based implementation of Fibre Channel operates
- 14.5 Differentiate between the operating ranges for ANSI/INCITS Fibre Channel series to include:
  - 14.5.1 Fibre Channel Physical Interface (FC-PI) options
  - 14.5.2 Nominal speed
  - 14.5.3 Light source and wavelength
  - 14.5.4 Overfilled Launch Bandwidth (OFL)
  - 14.5.5 Effective Modal Bandwidth (EMB)
  - 14.5.6 Maximum supportable distances

## 15.0 DATA CENTER – CABLE DESIGNS

- 15.1 Define a data center
- 15.2 Recognize the different types of data centers to include:
  - 15.2.1 Co-location Hosting Services
  - 15.2.2 Managed Hosting Services
  - 15.2.3 Enterprise
- 15.3 Describe the various functional areas of data centers to include the following:
  - 15.3.1 Main Distribution Area (MDA)
  - 15.3.2 Server Area
  - 15.3.3 Storage Area Network (SAN) Area
- 15.4 Compare and contrast the functionality and major differences between the data center cabling requirements and considerations
- 15.5 Recognize ANSI/TIA-942 Telecommunications Infrastructure Standard for Data Centers provides information on the factors to consider when planning and preparing the installation of a data center or computer room
- 15.6 Identify ANSI/TIA-942 Telecommunications Infrastructure Standard for Data Centers telecommunication spaces to include:
  - 15.6.1 Entrance Room
  - 15.6.2 Main Distribution Area (MDA)
  - 15.6.3 Horizontal Distribution Area (HDA)
  - 15.6.4 Zone Distribution Area (ZDA)
  - 15.6.5 Equipment Distribution Area (EDA)
- 15.7 Identify ANSI/TIA-942 Telecommunications Infrastructure Standard for Data Centers telecommunication cabling to include:
  - 15.7.1 Horizontal cabling
  - 15.7.2 Backbone cabling
  - 15.7.3 Centralized cabling
- 15.8 Explain the difference between Structured versus Un-structured cabling solutions
- 15.9 Outline the zone distribution data center layout utilizing a Zone Distribution Area (ZDA) with star topology to include the following:
  - 15.9.1 In-cabinet Zone Distribution
  - 15.9.2 Sub-floor Zone Distribution
  - 15.9.3 Overhead Zone Distribution
- 15.10 Discuss the importance of maintaining proper system polarity in the data center design so that the optical fibers connected to a transmitter on one end of an optical fiber link connects to a receiver on the other end

## 16.0 DATA CENTER – CABLING SOLUTIONS

- 16.1 Define plug and play
- 16.2 Explain and breakdown the major benefits of designing a plug and play system in the data center

- 16.3 Compare the alternatives to a standard plug and play design to include:
  - 16.3.1 Star topology with Main Distribution Area (MDA)
  - 16.3.2 High density truck cables from the Main Distribution Area (MDA) to the Zone Distribution Area (ZDA)
- 16.4 Describe the ANSI/TIA-942 recommended compliant design (star topology) for the Storage Area Network (SAN)

## 17.0 VOICE NETWORKS

- 17.1 Describe the evolution and components of voice networks
- 17.2 Delineate the transmission process involved in voice communication, both analog and digital
- 17.3 Describe the different multiplexing techniques used in a voice network
- 17.4 Define the basic design rules of voice technologies that apply to a voice network design
- 17.5 Explain Voice over Internet Protocol (VoIP) design considerations

## 18.0 SECURITY VIDEO

- 18.1 Differentiate between a distributed backbone and centralized cabling security video networking design
- 18.2 Describe the distributed backbone security video network design to include:
  - 18.2.1 Reduces fiber count
  - 18.2.2 Increases electronics
  - 18.2.3 Works well with large networks
  - 18.2.4 Placement of video multiplexers will affect fiber allocation
- 18.3 Describe the centralized cabling security video network design to include:
  - 18.3.1 Increases fiber count
  - 18.3.2 Decreases electronics
  - 18.3.3 Works well with small networks

## 19.0 FIBER TYPES AND COUNTS

- 19.1 Describe how to design the cabling infrastructure in accordance with ANSI/TIA-568-C to include:
  - 19.1.1 Location of the main cross-connect (MC), intermediate cross-connects (IC) and horizontal cross-connects (HC)
  - 19.1.2 Determine cable routes
  - 19.1.3 Determine the fiber distances
- 19.2 Describe how to choose the cable routes and physical topology when designing the cabling infrastructure to include the following:
  - 19.2.1 Ring
  - 19.2.2 Star
  - 19.2.3 Special configurations
- 19.3 Describe how to determine fiber types and fiber counts when designing the cabling infrastructure
- 19.4 Outline the considerations for Gigabit Ethernet (GigE) and 10 Gigabit Ethernet (10 GigE) to include the following:
  - 19.4.1 Length restrictions for Gigabit Ethernet and 10 Gigabit Ethernet
  - 19.4.2 Redundancy requirements
  - 19.4.3 Trunking requirements

## 20.0 TESTING AND MEASUREMENTS

- 20.1 Describe the reasons for testing
- 20.2 Identify the optical testing procedures to include:
  - 20.2.1 Connector and splice loss testing
  - 20.2.2 Attenuation testing
  - 20.2.3 Optical Time Domain Reflectometer (OTDR) testing
- 20.3 Outline the ANSI/TIA-568-C and Telcordia testing standards component requirements to include:
  - 20.3.1 Connector pair loss
  - 20.3.2 Splice loss
  - 20.3.3 Connector reflectance
  - 20.3.4 Optical fiber attenuation
- 20.4 Describe the purpose and procedures of end-to-end attenuation testing

- 20.5 Explain the purpose of mandrel wrapping during reference and system test
- 20.6 Determine proper ANSI/TIA-568-C (1, 2, or 3 jumper) reference based on the optical fiber link architecture
- 20.7 Describe the purpose of Optical Time Domain Reflectometer (OTDR) testing
- 20.8 Describe the purpose of chromatic dispersion testing
- 20.9 Describe “polarization mode dispersion” testing
- 20.10 Breakdown a Link Loss Budget Calculation to include:
  - 20.10.1 Determine fiber loss at operating wavelength
  - 20.10.2 Determine connection loss
  - 20.10.3 Determine splice loss
  - 20.10.4 Determine total system budget loss

**End of Fiber Optics Designer Competencies Listings:  
(with 20 major knowledge categories)**

Find An ETA Approved School Site [http://www.eta-i.org/eta\\_schools.html](http://www.eta-i.org/eta_schools.html)

Find An ETA Test Site <http://www.eta-i.org/testing.html>

**Suggested Study Materials and Resources for ETA Fiber Optics Designer Certification:**

**Fiber Optic Design for Multimode and Single-mode Optical Local Area Networks;** Corning Cable Systems LLC; FSD400-R7.M5; 2009.

<http://catalog2.corning.com/CorningCableSystems/en-US/catalog/DocumentLibrary.aspx>

**Cabling: The Complete Guide to Copper and Fiber-Optic Networking, 4E;** Andrew Oliviero, Bill Woodward; ISBN 978-0470477076; Sybex, Inc; July 2009; Paperback; 1144 ppg.

**Troubleshooting Optical Fiber Networks: Understanding and Using Optical Time-Domain Reflectometers, 2E;** Duwayne Anderson, Larry Johnson, Florian Bell; ISBN 978-0120586615; Elsevier Academic Press; May 2004; hardcover; 437 ppg; 800-545-2522

**Technology Series Videos and CDs;** The Light Brigade, 800-451-7128, [www.lightbrigade.com](http://www.lightbrigade.com)

**Technicians Guide to Fiber Optics, 4E;** Donald J. Sterling; ISBN 1-4018-1270-8; Delmar Learning; Dec 2003; hardcover; 384 ppg; Available through ETA 800-288-3824, [www.eta-i.org](http://www.eta-i.org)

**Fiber Optic Installer's Field Manual;** Bob Chomycz; ISBN 0-07-135604-5; McGraw-Hill; Jun 2000; softcover; 368 ppg; —Available through ETA at 800-288-3824, [www.eta-i.org](http://www.eta-i.org)

**Fiber Optic Installer and Technician Guide;** Bill Woodward, Emile Husson; ISBN 978-0782143904; Sybex, Inc; July 2005; hardcover; 496 ppg; Available through ETA 800-288-3824, [www.eta-i.org](http://www.eta-i.org)

**Understanding Fiber Optics, 5E;** Jeff Hecht; ISBN: 978-0131174290; Prentice-Hall; Apr 2005; hardcover; 800 ppg

**Introduction to Fiber Optics, 3E;** John Crisp, Barry Elliott; ISBN 978-0750667562; Newnes; Dec 2005; paperback; 245 ppg

**Continued Suggested Study Materials and Resources for ETA Fiber Optics Designer Certification:**

**Fiber Optic Theory & Applications;** Jeffrey Dominique; 1993; FNT Publ.; paperback [www.f-n-t.com](http://www.f-n-t.com)

**Guide Design and Implement Local and Wide Area Networks, 3E;** Michael Palmer and Bruce Sinclair, ISBN 978-0619216115; Course Technology; June 2012; paperback; 250 ppg

**Optical Networking Crash Course;** Steven Shepard; ISBN 007-1372083; McGraw-Hill Co.; July 2008; paperback; 288 ppg

**Optical Networking: A Beginner's Guide;** Robert C. Elsenpeter; ISBN 978-0072193985; McGraw-Hill Co.; Dec 2001; paperback; 544 ppg

**Optical Networking & WDM;** Walter J. Goralski; ISBN 978-0072130782; McGraw-Hill Co.; Jan 2001; paperback; 556 ppg

**Designers Guide to Fiber Optics;** AMP Corp., Harrisburg, PA 17105; ASIN B000IU64O; 1982; paperback; 209 ppg

**National Electrical Code, 2011;** National Fire Protection Assn., Sept.,2010; [www.nfpa.org](http://www.nfpa.org)



**ETA Fiber Optics Designer Exam Committee****Committee Chairman,**

Agard, Rich, FOI, RES/Ima  
 Arndt, David, FOI  
 Booth, Richard, FOI, FOT  
 Burch, Glenn, SAEFAB, FOT  
 Casbeer, Chuck, FOD  
 Dadaian, Scott  
 DiMauro, Michael  
 Dominique, Jeffrey, FOI, FOT  
 Giordano, Timothy, FOT, CETsr  
 Gosnay, Greg, FOI, FOT  
 Groves, JB, FOI, FOT, et al  
 Guadalupe, Felipe  
 Johnson, Larry  
 Limtiaco, John, FOI, DCI  
 McLaughlin, Barry, FOI  
 Morris, Rohan, FOT-OSP  
 Power, Terry, FOT, FOT-OSP  
 Quinby, Eric, FOI  
 Rivera, Kenneth  
 Siverling, Wayne, FOI, FOT, DCI  
 Smith, Joe, FOI  
 Stone, Don, SAEFAB, FOT, CFODE  
 Stover, Robert, FOI, FOT, DCI  
 Taha, Khalid, FOD, FOT, FOI

**Bill Woodward, P.E., FOD**

Phila. Fiber Optic Training, (PA)  
 Casper College, (WY)  
 ETA International, (AZ)  
 Kitco Fiber Optics, (VA)  
 Infotec, ECPI University, (VA)  
 Kitco Fiber Optics, (VA))  
 Focus Educational Services, (FL)  
 Fiber Network Training, (AZ)  
 USMC, (CA)  
 Yeager Career Ctr, (WV)  
 WCJC Ft. Bend Tech. Ctr., (TX)  
 Kitco Fiber Optics, (VA)  
 The Light Brigade, (WA)  
 L & K Communications, (Guam)  
 TTA of NE (MA)  
 Vector Tech. Institute, (FL, Jam)  
 FiberOptic.com (PA)  
 Corning Cabling Systems, (NC)  
 J M Fiber Optics, (CA)  
 USAF, Sheppard Tech. School, (TX)  
 Telecom Training Div-TEEX, (TX)  
 Kitco Fiber Optics, (VA)  
 Advanced Tech. Ctr. (VA)  
 ECPI University (VA)

**[woodwar@ursanav.com](mailto:woodwar@ursanav.com)**

[ragard@aol.com](mailto:ragard@aol.com)  
[darndt@caspercollege.edu](mailto:darndt@caspercollege.edu)  
[richard.w.booth@gmail.com](mailto:richard.w.booth@gmail.com)  
[glenn.burch@kitcofo.com](mailto:glenn.burch@kitcofo.com)  
[ccasbeer@infotecpro.com](mailto:ccasbeer@infotecpro.com)  
[scott.dadaian@kitcofo.com](mailto:scott.dadaian@kitcofo.com)  
[m\\_dimauro@bellsouth.net](mailto:m_dimauro@bellsouth.net)  
[jeffdominique@f-n-t.com](mailto:jeffdominique@f-n-t.com)  
[gio0905@gmail.com](mailto:gio0905@gmail.com)  
[ggosnay@access.k12.wv.us](mailto:ggosnay@access.k12.wv.us)  
[jbgroves@wcjc.edu](mailto:jbgroves@wcjc.edu)  
[felipe.guadalupe@kitcofo.com](mailto:felipe.guadalupe@kitcofo.com)  
[larry@thelightbrigade.com](mailto:larry@thelightbrigade.com)  
[anital@teleguam.net](mailto:anital@teleguam.net)  
[bmclaughlin02@verizon.net](mailto:bmclaughlin02@verizon.net)  
[rohmor@cwjamaica.com](mailto:rohmor@cwjamaica.com)  
[terry.power@fiberoptic.com](mailto:terry.power@fiberoptic.com)  
[eric.quinby@corning.com](mailto:eric.quinby@corning.com)  
[krivera@jmfiberoptics.com](mailto:krivera@jmfiberoptics.com)  
[wayne.siverling@us.af.mil](mailto:wayne.siverling@us.af.mil)  
[joe.smith@teexmail.tamu.edu](mailto:joe.smith@teexmail.tamu.edu)  
[dstone@kitcofo.com](mailto:dstone@kitcofo.com)  
[rstover@vbschools.com](mailto:rstover@vbschools.com)  
[ktaha@ecpi.edu](mailto:ktaha@ecpi.edu)